





The Patent Office Concept House Cardiff Road Newport South Wales NP10 8QQ

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.


In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.


Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed Silhou

Dated 24 September 2003







Request for grant of a patent

# The Patent Office

1/77

23HAY03 E809658-1 000611 P01/7700 0.00-0311868.4

> The Patent Office Concept House Cardiff Road Newport South Wales NP10 8QQ

1.	Your reference	GB920030002GB1	
2.	Patent application number (The Patent Office will fill in this part)	311868.4	2 3 MAY 2003
3.	Full name, address and postcode of the or of each applicant (underline all surnames)	INTERNATIONAL BUSINESS MA Armonk New York 10504 United States of America	
	Patents ADP number (if you know it)	5191	37001
	If the applicant is a corporate body, give the country/state of its incorporation	State of New York United States of America	
4.	Title of the invention	CREATION OF A SCRIPT FOR E	XECUTING COMMANDS
5.	Name of your agent (if you have one)	D P Litherland	
	"Address for Service" in the United Kingdom to which all correspondance should be sent (including the postcode)	IBM United Kingdom Limited Intellectual Property Department Hursley Park Winchester Hampshire S021 2JN	
	Patents ADP number (if you know it)		·
6.	If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number	Country Priority App No (if you know it)	Date of filing (day/month/year)
7.	If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date or the earlier application	No of earlier application	Date of filing (day/month/year)



8.	a statement of inventorship and of right to grant of a patent required in support of this request? (Answer Yes' if:  a) any applicant named in part 3 is not an inventor, or b) there is an inventor who is not named as an applicant, or c) any named applicant is a corporate body.)	Yes
9.	Enter the number of sheets for any of the following items you are filing with this form.  Do not count copies of the same document	
,	Continuation sheets of this form	
	Description	7
	Claim(s)	2
	Abstract	1
	Drawing(s)	3 +3 /
10.	If you are also filing any of the following, state how many against each item.	
	Priority documents	
	Translations of priority documents	
	Statement of inventorship and right to grant of a patent (Patents Form 7/77)	
	Request for preliminary examination and search (Patents Form 9/77)	
	Request for substantive examination (Patents Form 10/77)	
	Any other documents (please specify)	
····		
11.		I/We request the grant of a patent on the basis of this application
		DP Litherla 21 May 2003 Signature Date
		D P LITHERLAND
12.	Name and daytime telephone number of person to contact in the United Kingdom	M Mulholland 01962 818675

The Patent Office

Patents Act 1977

Rule 15

Statement of inventorship and of right to grant of a patern PATENT OFFICE The Patent Office Concept House Cardiff Road 23 MAY 2003 Newport South Wales NP10 8QQ NEWPORT GB920030002GB1 Your reference 1. 2. Patent application number 0311868.4 2 3 MAY 2003 (if you know it) INTERNATIONAL BUSINESS MACHINES CORPORATION Full name of the or of each applicant 3. CREATION OF A SCRIPT FOR EXECUTING COMMANDS 4. Title of invention 5. State how the applicant(s) derived the right By employment and agreement from the inventor(s) to be granted a patent How many, if any, additional Patents Forms 6. 7/77 are attached to this form? 7. I/We believe that the person(s) named over the page (and on any extra copies of this form) is/are the inventor(s) of the invention which the above patent application relates to. 21 May 2003 Signature Date D P LITHERLAND M Mulholland 8. Name and daytime telephone number of person to contact in the United Kingdom Tel: 01962 818675

Enter ** full names, addresses and postcodes of the inventory in the boxes and underline the surnames	COLGRAVE, John UK Resident c/o IBM United Kingdom Limited Intellectual Property Law Hursley Park Winchester Hampshire SO21 2JN England  Patents ADP number (if known)  SC37373001
•	
	Patents ADP number (if known)
-	
If there are more than three inventors, please write their names and addresses on the back of another Patents Form 7/77 and attach it to this form	
REMINDER	Patents ADP number (if known)
Have you signed the form?	

# The Patent Office

Pat nts Act 1977

Rule 15

Statement of inventorship and of right to grant of a patent B

THE PATENT OFFICE a patent B

23 MAY 2003

**NEWPORT** 

The Patent Office Concept House Cardiff Road Newport South Wales NP10 8QQ

1.	Your reference	GB920030002GB1						
2.	Patent application number (if you know it)							
3.	Full name of the or of each applicant	INTERNATIONAL BUSINESS MACHINES CORPORATION						
4.	Title of invention	CREATION OF A SCRIPT FOR EXECUTING COMMAND						
5.	State how the applicant(s) derived the right from the inventor(s) to be granted a patent	By employment and agreement						
6.	How many, if any, additional Patents Forms 7/77 are attached to this form?							
7.		I/We believe that the person(s) named over the page (and on any extra copies of this form) is/are the inventor(s) of the invention which the above patent application relates to.  Description:  21 May 2003 Date  Description:						
8.	Name and daytime telephone number of person to contact in the United Kingdom	M Mulholland Tel: 01962 818675						

#### CREATION OF A SCRIPT FOR EXECUTING COMMANDS

#### Field of the Invention

5

The present invention relates to scripting tools and more particularly to tools which enable a user to create a script for executing a defined sequence of commands.

10

15

20

25

### Background to the Invention

Frequently when administering or accessing a software product a user may execute a series of commands or actions which request the software product to perform certain functions, for example, to configure the software product or obtain information about its configuration. For example, when configuring a software product the user may use commands to define such things as the identity of users with permission to access the product and applications which are made available through the product. Similarly commands may be executed to obtain information about the users or applications defined to the product. Further as the same series of commands may need to be executed against several instances of the software product or a series of commands need to be executed frequently to obtain information from the software product, it is common to write a script containing the commands. A script is a software program in a scripting language which, when executed, executes the commands defined within it. Taking this one step further the software product may also provide a tool, such as a graphical tool, which can be used to execute commands against the product and further automatically produce a script, containing the commands, which can be executed subsequently in conjunction with the tool.

30

For example a product such as IBM® DB2® provides a tool with the ability to create and execute scripts which, for example, define tables to the database or obtain details of tables defined to the database.

35

40

In another example, in relation to Web Services, a Universal Description Discovery and Integration (UDDI) registry is defined which accepts Simple Object Access Protocol (SOAP) requests. The UDDI registry is used by web services to register the services which they provide and by clients to obtain details of one or more web services which provide the services which they wish to use. As a result an administrator may provide to client machines a script containing actions which, when executed, result in requests being sent to a UDDI registry to obtain details of a web service which is appropriate for the client to use. For example a company

10

15

20

25

30

35

40

may provide a script to employees for obtaining details from a UDDI registry of web services which the company prefers its employees to use, for example as provided by a particular provider. However such a script requires an execution tool which, on execution of the script, converts the commands defined in the script to appropriate SOAP requests which the registry recognises.

In environments such as web services the commands and interfaces supported by the various components are generally defined by a standards body such that all products which implement a standards defined component support the same sets of commands and interfaces. The UDDI registry is one such component which is defined by UDDI.org and supports a client interface specified by the UDDI.org based on SOAP requests. As a result it is possible for one provider to provide a tool which can be used to create and execute scripts which result in SOAP requests which are sent to the UDDI registry of another provider.

However, the current set of scripting tools are somewhat restrictive as they are limited to creating scripts in a specific scripting language and further the scripts must be executed within the tool used to create them.

## Summary of the invention

Accordingly, according to a first aspect the present invention provides a method for a scripting tool to create a script, the method comprising the steps of: receiving a sequence of commands for execution; receiving an indication of one of a plurality of scripting languages; outputting a script in the indicated scripting language, the script containing the sequence of commands.

According to a second aspect the present invention provides a scripting tool for creating a script, the tool comprising: means for receiving a sequence of commands for execution; means for receiving an indication of one of a plurality of scripting languages; means for outputting a script in the indicated scripting language, the script containing the sequence of commands.

According to a third aspect the present invention provides a computer program product comprising instructions which, when executed on a data processing host, cause the data processing host to carry out the method according to the first aspect.

Thus, according to the present invention a scripting tool is provided which can create scripts in a plurality of languages. In a preferred embodiment the scripting tool supports a plurality of scripting languages from which a user may choose to generate a script which contains a user defined sequence of commands. As a result, advantageously the user may generate a script in a preferred language, for example based on the knowledge of the person who will maintain the script, and further to match an execution environment in which the user wishes to execute the script and in which the script can be run independently of the tool used to create it.

10

15

20

25

30

5

Preferably each command in the sequence of commands is executed before generating the script. This enables a user to check that the requested command is valid before generating a script containing the command. Further results from each command may be provided to the user so that the user may use the results when selecting a subsequent command in the sequence.

The sequence of commands could be for performing actions in any product which accepts commands, for example a database product or a Universal Data Directory Interface (UDDI) registry.

# Brief Description of the Drawings

The invention will now be described, by way of example only, with reference to a preferred embodiment thereof, as illustrated in the accompanying drawings, in which:

Figure 1 is a block diagram of a data processing environment in which the preferred embodiment of the present invention can be advantageously applied;

Figure 2 is a schematic diagram which shows a scripting tool for generating scripts to run against a UDDI registry according to the preferred embodiment of the present invention; and

35

40

Figure 3 is a flow chart of the method followed by the scripting tool of figure 2 when generating a script.

## Description of the Preferred Embodiment

In figure 1, a client/server data processing host 10 is connected to other client/server data processing host 12 and 13 via a network 11, which could be, for example, the Internet. In the preferred embodiment a UDDI

10

15

20

25

30

35

registry may be installed on any such client/server and accept requests to define details of a web service or obtain details of a web service from the same or another client/server data processing host. Client/server 10 has a processor 101 for executing programs that control the operation of the client/server 10, a RAM volatile memory element 102, a non-volatile memory 103, and a network connector 104 for use in interfacing with the network 11 for communication with the other client/servers 12 and 13.

Figure 2 is a schematic diagram which shows a scripting tool which can create scripts for performing actions against a UDDI registry according to the preferred embodiment of the present invention. The scripting tool 200 provides a graphical interface which enables a user to define and execute actions which result in SOAP requests being sent to a UDDI registry. The tool includes a user input/ouput and processing component 201 which accepts and processes user requests to execute actions and reports results of executed actions to the user. The user i/o and processing component further accepts user inputs which specify that a script is to be created and indication of a scripting language to be used when creating the script. The tool further includes a SOAP component 202 which is used by the user i/o and processing component to access (251) the UDDI registry 212 via the registry SOAP component 211. A user with a task to complete specifies to the user i/o and processing component an action to be executed against the UDDI registry, which the tool does by converting the action to an appropriate SOAP request and sending it to the UDDI registry. A response is then received from the UDDI registry for which the scripting tool reports the result back to the user. Depending on the result the user may then define and execute one or more further requests until the task to be completed is finished. The user then indicates that the task is complete. During this process a macro record component 203 maintains a record of the sequence of actions the user executed and so, when the user indicates that the task is complete, the user i/o and processing component asks the user if a script containing the recorded sequence of actions should be created. The user is further given a choice of scripting language for the script to be created. In the preferred embodiment the languages available are PerlScript and JavaScript. If the user chooses PerlScript a PerlScript engine 204 is used to generate a script 205 in the PerlScript language, and if the user chooses JavaScript script a JavaScript engine 206 is used to generate a script 207 in the JavaScript language.

As a simple example, a user may want to access a UDDI registry to obtain details of all web services which match a certain criteria and then select one from those returned. For example if the user wishes to obtain details of all web services which began with the string "IBM" they may

10

15

20

25

30

35

40

```
var getBusinessDetailReq = new GetBusinessDetailRequest();
getBusinessDetailReq.addBusinessKey("11E5AE0F-230C-4889-8E0D-023F");
var businessDetail = proxy.get_businessDetail(getBusinessDetailReq);
```

Alternatively, for example, if the user decides to generate a PerlScript script the tool may output a script of the form:

```
#!/usr/bin/perl
$findBizReq = CreateBean("org.uddi4j.adapt.FindBusinessRequest");
$findBizReq->addName("IBM");
$findBizReq->addFindQualifier("caseSensitiveMatch");
...
$businessList = $proxy->find_business($findBizReq);
...
$getBusinessDetailRequest =
CreateBean("org.uddi4j.adapt.GetBusinessDetailRequest");
$getBusinessDetailRequest->addBusinessKey("11E5AE0F-230C-4889-8E0D-023F");
$businessDetail = proxy->get_businessDetail($getBusinessDetailRequest);
```

A created script may then be run using an appropriate tool which is independent of the tool used to create the script. Returning to figure 2, the PerlScript script 206 may subsequently be executed (254) using an execution tool which provides a PerlScript engine 231. Alternatively the JavaScript script 207 may subsequently be run on an execution tool which provides a JavaScript engine 221. In both cases the appropriate engine converts each action in the script into a SOAP request for sending (256) to the UDDI registry 212.

Figure 3 shows the method steps which are followed by the scripting tool 201 of figure 2, according to the preferred embodiment of the present invention. At step 301 the tool receives an action to run against a UDDI registry. During the first pass through step 301 the action is the first of a sequence of actions which complete a task to be performed with a UDDI registry. The scripting tool keeps a record of the action requested before creating an appropriate SOAP request and sending it to the UDDI registry at step 302, and receiving a response to the request action at step 303 details of which are provided to the user. At step 304 a check is made to see if the user has another action to input as part of the sequence of actions and if so processing returns to step 301 where the next action is received. However, if the sequence is complete, the user is offered the chance to create a script and at step 305 the user response is checked. If the user wants to create a script the user is given the chance to indicate which of a plurality of scripting languages is to be used and at step 306 an indication of the scripting language chosen is received. Finally at step

10

15

20

25

30

35

307 a script is created in the language chosen. The generated script may then be executed outside of the scripting tool that produced it and as a result the same sequence of actions can be executed in a "batch" or "command-line" environment, or any environment that supports the particular scripting language.

Note that whilst the tool of the preferred embodiment only supports JavaScript and PerlScript scripts in another embodiment is could support more or different scripting languages such as NetRexx, Bean Markup Language (BML), JACL Adventure Creation Language, Jython, Python, VBScript, Jscript and PerlScript.

Further note that a skilled person would realise that the method described in figure 3 could be implemented in a variety of programming languages, for example, Java<sup>TM</sup>, C, and C++ (Java and all Java-based trademarks are trademarks of Sun Microsystems, Inc. in the United States, other countries, or both). Further a skilled person would realise that once implemented the methods can be stored in a computer program product comprising or more programs, in source or executable form, on a media, such as floppy disk, CD, and DVD, suitable for loading onto a data processing host and causing the data processing host to carry out the methods.

Thus the present invention provides a method for a scripting tool, a scripting tool, and computer program product which carries out a method for a scripting tool, to create a script for executing a sequence of commands. The scripting tool receives and processes a sequence of commands and then receives an indication of one of a plurality of scripting languages. Based on this information the tool then creates a script, in the scripting language indicated, containing the sequence of commands. The script may then be run in an execution environment which supports that scripting language and is independent of the scripting tool. In a preferred embodiment the scripting tool receives and processes a sequence of commands as specified by a user and then enables the user to choose one of a plurality of scripting languages such that when tool creates a script containing the sequence of commands the script is created in the language chosen by the user.

8. A scripting tool according to claim 7 further comprising:

providing details of the response from execution of each command to a user.

- 9. A scripting tool according to any one of claims 6 to 8 wherein the commands are to be executed against a Universal Data Directory Interface (UDDI) registry.
- 10. A scripting tool according to any one of claims 6 to 9 wherein the plurality of scripting languages include at least two from JavaScript, NetRexx, Bean Markup Language (BML), JACL Adventure Creation Language, Jython, Python, VBScript, JScript and PerlScript.
- 11. A computer program product comprising instructions which, when executed on a data processing host, cause the data processing host to carry out a method according to any one of claims 1 to 5.

# ABSTRACT

# CREATION OF A SCRIPT FOR EXECUTING COMMANDS

5


The present invention provides a method for a scripting tool, a scripting tool, and computer program product which carries out a method for a scripting tool, to create a script for executing a sequence of commands. The scripting tool receives and processes a sequence of commands and then receives an indication of one of a plurality of scripting languages. Based on this information the tool then creates a script, in the scripting language indicated, containing the sequence of commands. The script may then be run in an execution environment which supports that scripting

language and is independent of the scripting tool.


15

10


				7
				<b>_</b> 3,
				× 4
*1				
			*	
			2-	
				3
	(4) A			
				*
	<b>3</b> )		147	
			14	· •



				Ġ.			
					ų.		
			ţ*				
	(*)						
	į,						
							9
							Ŷ
		2					







# THIS PAGE BLANK (USPTO)